

# Panasonic

model **KX-T1232**

## STATION USER GUIDE


---

For touch tone and rotary telephone

---

**Panasonic**  
EASA-PHONE

**PanaTEL®**



See this Station User Guide when you use a touch tone or rotary telephone as an extension.

# Contents

## Basic Operation

|                            |   |
|----------------------------|---|
| Quick Reference Card ..... | 2 |
|----------------------------|---|

### To Make Calls

|                                          |   |
|------------------------------------------|---|
| Inter Office Calling<br>(Intercom) ..... | 6 |
| Outward Dialing .....                    | 6 |
| Speed Dialing .....                      | 7 |
| Calling Doorphone .....                  | 7 |

### When a Line is Busy

|                                             |   |
|---------------------------------------------|---|
| Automatic Call Back Busy<br>(Camp-on) ..... | 8 |
| Busy Station Signaling ..                   | 9 |
| Last Number Redial .....                    | 9 |

### To Receive Calls

|                            |    |
|----------------------------|----|
| Answer .....               | 10 |
| Dial Call Pickup .....     | 10 |
| Directed Call Pickup ..... | 10 |
| Call Park Retrieve .....   | 11 |
| Doorphone .....            | 11 |

### While Having a Conversation

|                      |    |
|----------------------|----|
| Call on Hold .....   | 12 |
| Call Splitting ..... | 12 |
| Conference .....     | 13 |
| Call Waiting .....   | 13 |
| Call Transfer .....  | 14 |

## Detailed Operation

### Use of Other Features

|                             |    |
|-----------------------------|----|
| Paging All Extensions ..... | 15 |
| Paging Group .....          | 15 |
| Paging-External .....       | 16 |
| Paging and Transfer .....   | 16 |
| Paging-Answer .....         | 17 |
| Intercom Alerting Mode ..   | 17 |
| External Feature Access..   | 18 |
| Account Code .....          | 19 |

### Station Programming

|                             |    |
|-----------------------------|----|
| Call Forwarding .....       | 21 |
| Dial Call Pickup Deny ..... | 22 |
| Do not Disturb .....        | 23 |
| Data Line Security .....    | 24 |
| Pickup Dial .....           | 25 |
| Station Program Clear ..    | 27 |

# PanaTEL®



**Nonstop servis** TELEFONNÍ ÚSTŘEDNY

volejte dispečink tel. **606 193 950**

PanaTEL® je specialistou na telefonní ústředny,  
komunikační systémy Panasonic

[www.PanaTEL.cz](http://www.PanaTEL.cz)

## Quick Reference Card

### TO MAKE CALLS

- Lift the handset first.
- After finishing your conversation, hang up the handset.

|                                                         |                                                                                                                                                                                                                                                                                                                                                                                            |                                        |                     |
|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|---------------------|
| INTER OFFICE<br>CALLING<br>(Intercom)                   | Dial extension number (11 through 26)                                                                                                                                                                                                                                                                                                                                                      |                                        |                     |
| OUTWARD DIALING<br>Automatic Line Access                |                                                                                                                                                                                                                                                                                                           | Dial phone number                      |                     |
| Individual Line Access                                  |                                                                                                                                                                                                                                                                                                           | Dial CO number<br>(1 through 6)        | Dial phone number . |
| SPEED DIALING<br>(A rotary phone will not<br>function.) |                                                                                                                                                                                                                                                                                                           | Dial speed access code (00 through 99) |                     |
| CALLING<br>DOORPHONE                                    | For doorphone 1      For doorphone 2<br>    |                                        |                     |

### WHEN A LINE IS BUSY

|                                                                |                                                                                     |                       |                                                                                     |                                                                                       |              |                 |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------|-----------------|
| <b>AUTOMATIC CALL BACK BUSY</b> (camp-on)<br>For outside calls |  | Dial CO number        | Hear a busy tone                                                                    |  | Hear 2 beeps | Hang up handset |
| For intercom calls                                             |                                                                                     | Dial Extension number | Hear a busy tone                                                                    |  | hear 2 beeps | Hang up handset |
| <b>BUSY STATION SIGNALING</b>                                  |                                                                                     | Dial Extension number | Hear a busy tone                                                                    |  |              |                 |
| <b>LAST NUMBER REDIAL</b>                                      |                                                                                     | Lift handset          |  |                                                                                       |              |                 |

•You may dial "80" instead of pressing the "\*" button.

## TO RECEIVE CALLS

|                      |                                                                                                                               |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| ANSWER               | Lift handset                                                                                                                  |
| DIAL CALL PICKUP     | Lift handset <b>CH 4</b> <b>OFF 0</b>                                                                                         |
| DIRECTED CALL PICKUP | Lift handset <b>CH 4</b> Dial ringing extension number                                                                        |
| CALL PARK RETRIEVE   | Lift handset <b>JKL 5</b> Dial parked extension number.<br>or<br>Lift handset <b>JKL 5</b> <b>TUV 8</b> Dial parked CO number |

## WHILE HAVING A CONVERSATION

|                         |                          |                                                                                                                                                                                                                                                                     |
|-------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CALL ON HOLD<br>To hold | Flash hookswitch         | Hear 2 beeps                                                                                                                                                                                                                                                        |
| To cancel               | Flash hookswitch         |                                                                                                                                                                                                                                                                     |
| CALL SPLITTING          | Flash hookswitch         | Dial 2nd party •To alternate, flash the hookswitch repeatedly                                                                                                                                                                                                       |
| CONFERENCE              | Flash hookswitch         | Dial 2nd party Consult with 2nd party<br>Flash hookswitch <b>DEF 3</b>                                                                                                                                                                                              |
| CALL WAITING            | Hear a call waiting tone | Flash hookswitch Hang up handset Lift handset<br>•Original call will be placed on hold and the new caller can be spoken with.<br>•To terminate the original call and talk to the 2nd party, hang up and then lift the handset. (You need not flash the hookswitch.) |

## Quick Reference Card

### WHILE HAVING A CONVERSATION

|                                                                      |                                     |                       |                                 |
|----------------------------------------------------------------------|-------------------------------------|-----------------------|---------------------------------|
| <b>CALL TRANSFER</b><br>To transfer after another extension answers. | Flash hookswitch<br>Hang up handset | Dial extension number | Announce and wait for an answer |
| To transfer without announcing to the other extension.               | Flash hookswitch                    | Dial extension number | Hang up handset                 |

### STATION PROGRAMMING

- Lift the handset first.
- After hearing a confirmation tone (1 or 2 beeps), hang up the handset.
- You may dial "0" instead of pressing the "\*" button.

|                              |                                            |                              |
|------------------------------|--------------------------------------------|------------------------------|
| <b>CALL FORWARDING</b>       | Setting<br>PRS 7 1 Dial extension number * |                              |
|                              | To cancel:<br>PRS 7 0 *                    |                              |
| <b>DIAL CALL PICKUP DENY</b> | Setting<br>PRS 7 DEF 3 1 *                 | To cancel<br>PRS 7 DEF 3 0 * |
| <b>DO NOT DISTURB</b>        | Setting<br>PRS 7 1 1 0 *                   |                              |
|                              | To cancel<br>PRS 7 0 *                     |                              |
| <b>DATA LINE SECURITY</b>    | Setting<br>PRS 7 CH1 4 1 *                 | To cancel<br>PRS 7 CH1 4 0 * |
| <b>STATION PROGRAM CLEAR</b> | PRS 7 WXY 9 *                              |                              |

## USE OF OTHER FEATURES

|                                                                      |                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PAGING ALL EXTENSIONS</b><br>To access                            | Lift handset DEF 3 CHI 4 Hear 1 beep Page Wait for an answer and talk                                                                                                                                                                                                                                                |
| <b>PAGING GROUP</b><br>To access                                     | <p>For pickup group 1<br/>Lift handset DEF 3 JKL 5 Hear 1 beep Page Wait for an answer and talk</p> <p>For pickup group 2<br/>At step 2 above, dial 36 instead of 35</p> <p>For pickup group 3<br/>At step 2 above, dial 37 instead of 35.</p> <p>For pickup group 4<br/>At step 2 above, dial 38 instead of 35.</p> |
| <b>PAGING-EXTERNAL</b><br>To access                                  | Lift handset DEF 3 DEF 3 Hear 1 beep Page Wait for an answer and talk                                                                                                                                                                                                                                                |
| <b>PAGING AND TRANSFER</b><br>To transfer a call to the paged person | <p>Flash hookswitch DEF 3 CHI 4 Hear 1 beep Page Wait for 1 beep and hang up</p> <p>•At step 2 above, dial 35, 36, 37, 38 or 33 instead of 34.</p>                                                                                                                                                                   |
| <b>PAGING-ANSWER</b>                                                 | Lift handset CHI 4 DEF 3 Hear 1 beep Talk                                                                                                                                                                                                                                                                            |
| <b>INTERCOM ALERTING MODE</b><br>(A rotary phone will not function.) | <p>Switching to tone alerting</p> <p>Lift handset Dial extension number Hear 1 beep * Hear ring back tone</p>                                                                                                                                                                                                        |
| <b>EXTERNAL FEATURE ACCESS</b>                                       | Hear a call waiting tone Flash hookswitch DEF 0                                                                                                                                                                                                                                                                      |

PanaTEL®


## To Make Calls

### Inter Office Calling (Intercom)

Station to station dialing within the KX-T61610B system.



LIFT THE  
HANDSET



DIAL EXTENSION  
NUMBER  
(11 through 26)

### Outward Dialing

Each extension can automatically select an idle CO (Central Office) line within the KX-T61610B.


#### ■ Automatic Line Access




LIFT THE  
HANDSET



DIAL "9"




WAIT FOR  
C.O. DIAL  
TONE



DIAL TELEPHONE  
NUMBER

An alternative method is to dial 8 and the CO number. The system will access individually any of the 6 CO's.


#### ■ Individual Line Access



LIFT THE  
HANDSET




DIAL "8"



DIAL CO  
NUMBER  
(1 through 6)



WAIT FOR C.O.  
DIAL TONE



DIAL TELEPHONE  
NUMBER


## To Make Calls (cont.)

### Speed Dialing


There are 100 memory locations of system speed dialing available.



LIFT THE  
HANDSET



PRESS "\*"



DIAL SPEED  
ACCESS CODE  
(00 through 99)

- There is no need to access a CO line.
- A rotary phone will not function for speed dialing.
- Continuous use of speed dialing is impossible.


### Calling Doorphone

Up to two doorphone (KX-T30865) can be connected to the KX-T61610B.

#### ■ Doorphone 1



LIFT THE  
HANDSET




DIAL "31"

#### ■ Doorphone 2



LIFT THE  
HANDSET



DIAL "32"

PanaTEL®



## When a Line is Busy

### Automatic Call Back Busy (Camp-on)


If the intercom extension or outside line you have dialed is busy, you will be automatically called back when the extension or the outside line becomes free using this function.

This feature is also known as camp-on.


#### ■ For outside calls



DIAL "8"




DIAL CO  
NUMBER  
(1 through 6)



YOU WILL  
HEAR A BUSY  
TONE



DIAL "6"




CONFIRMATION  
TONE




HANG UP

#### ■ For intercom calls




DIAL  
EXTENSION  
NUMBER  
(11 through 26)



YOU WILL  
HEAR A BUSY  
TONE



DIAL "6"



CONFIRMATION  
TONE OF  
2 BEEPS WILL  
BE HEARD



HANG UP

#### ■ When hearing a ring back




LIFT THE HANDSET

- When intercom calls, you will hear the ring back tone.
- When outside calls, you will hear the dial tone from CO.
- Call back busy cannot be activated on an extension which has a call on hold.
- If you make or receive a call during the camp-on mode, the camp-on mode will be cancelled.


## When a Line is Busy (cont.)

### Busy Station Signaling

If the extension you have dialed is busy, you can inform that extension that another intercom call is waiting by three beeps. For use of this feature, the other extension is required to be set for this feature beforehand in the KX-T61610B.



DIAL EXTENSION  
NUMBER  
(11 through 26)



YOU WILL  
HEAR A BUSY  
TONE



DIAL "1"

- To answer, see "Call Waiting" on page 13.

# PanaTEL®

### Last Number Redial

The last phone number dialed on an outgoing call (CO line) can be redialed.



LIFT THE  
HANDSET



PRESS "#"

- You may dial "80" instead of pressing the "#" button.

# PanaTEL®

## To Receive Calls

---

### Answer



LIFT THE  
HANDSET


# PanaTEL®

### Dial Call Pickup

Through the use of this feature, an extension user can answer any ringing extension within their own pickup group.



LIFT THE  
HANDSET



DIAL "40"

### Directed Call Pickup


An extension may answer an incoming call that is ringing at another extension regardless of the pickup group.



LIFT THE  
HANDSET



DIAL "4"



DIAL THE  
RINGING  
EXTENSION  
NUMBER  
(11 through 26)


# PanaTEL®

## To Receive Calls (cont.)

### Call Park Retrieve

Allows extension user to retrieve a call (intercom or outside) on hold at any extension.

#### ■ To Park a call



FLASH THE  
HOOKSWITCH



CONFIRMATION  
TONE



REPLACE  
HANDSET

- Do not depress the hookswitch for more than one second, or the party will be disconnected.


#### ■ To Retrieve a Parked Call at Any Other Extension



LIFT THE  
HANDSET



DIAL "5"




DIAL PARKED  
EXTENSION  
NUMBER


- Even when several outside calls are placed on hold simultaneously, you can retrieve the desired outside call from another extension as following.



LIFT THE  
HANDSET



DIAL "58"



DIAL PARKED  
CO NUMBER  
(1 through 6)

### Doorphone



LIFT THE  
HANDSET


- If calls from doorphones are not answered within 15 seconds, the call will be cancelled.
- Each extension has to be programmed for receiving from doorphones. See "Programmable Doorphone" on page 3-28 in the Installation Manual.

## While having a conversation


### Call on Hold

If you wish to leave your phone unattended but want the caller you are in conversation with to wait, call on hold may be used. Intercom and outside calls may be placed on hold.

#### ■ To Place a Call on Hold




FLASH THE  
HOOKSWITCH



CONFIRMATION  
TONE OF 2  
BEEPS WILL BE  
HEARD

- Do not depress the hookswitch for more than one second, or the party will be disconnected.

#### ■ To Cancel




FLASH THE  
HOOKSWITCH

### Call Splitting

Allows the station user to alternate between two parties, either intercom or outside.




FLASH THE  
HOOKSWITCH



DIAL THE  
SECOND  
PARTY




CONSULT 2ND  
PARTY 1ST  
PARTY ON HOLD



FLASH THE  
HOOKSWITCH



2ND PARTY  
ON HOLD  
1ST PARTY IN  
CONSULTATION



FLASH THE  
HOOKSWITCH




1ST PARTY  
ON HOLD  
2ND PARTY IN  
CONSULTATION


## While having a conversation (cont.)

### Conference

Allows for up to a three party conference, (2-outside/ 1-inside), (1-outside/ 2-inside) or (3-inside).



FLASH THE  
HOOKSWITCH  
PLACES 1ST  
PARTY ON HOLD




DIAL THE  
2ND PARTY



CONSULT WITH  
THE 2ND PARTY



FLASH THE  
HOOKSWITCH



DIAL "3"  
(3-party conference  
now established.)

### ■ To Hold one Caller and Talk to the Other Caller



FLASH THE  
HOOKSWITCH




2ND PARTY  
ON HOLD  
1ST PARTY IN  
CONSULTATION


### Call Waiting

Call Waiting Tone during a conversation indicates there is a new incoming outside call or intercom call.

This feature is required to be set beforehand in the KX-T61610B. For programming, see page 3-24 in installation manual.




WILL HEAR  
CALL WAITING  
TONE



FLASH THE  
HOOKSWITCH  
PLACES 1ST  
PARTY ON HOLD



HANG UP



LIFT THE  
HANDSET



CONSULT NEW  
CALLER 1ST  
PARTY ON HOLD

- If you use the hold button of a standard telephone, the above-mentioned feature will not function.
- To terminate the original call and return to the 2nd call, hang up and then lift the handset. (You need not flash the hookswitch.)


## Call Transfer

Outside or intercom calls may be transferred to any extension manually.

### ■ To Transfer After the Other Extension Answers



FLASH THE  
HOOKSWITCH



DIAL THE  
EXTENSION  
NUMBER




ANNOUNCE  
AND WAIT  
FOR AN  
ANSWER




HANG UP

### ■ To Transfer without Announcing to the other Extension



FLASH THE  
HOOKSWITCH




DIAL THE  
EXTENSION  
NUMBER



HANG UP

### ■ To Retrieve the Call

If the other extension did not receive the transferred call within 30 seconds after the call has been transferred, the call will return to you. In this case:



LIFT THE  
HANDSET

- The time that the call returns to you when the transferred call is not received can be changed 30 seconds into 15 seconds. For changing, see page 3-49 in installation manual.

### ■ To Change the Party to Whom a Call is Transferred before Hanging up

Flash the hookswitch to retrieve the call, then repeat the procedure of Call Transfer.



## Use of Other Features


### Paging All Extensions

Allows paging to all extensions.

#### ■ To Access



LIFT THE  
HANDSET



DIAL "34"



CONFIRMATION  
TONE OF 1  
BEEP WILL  
BE HEARD



PAGE



WAIT FOR AN  
ANSWER  
AND TALK

- Page will be heard only from the built-in speaker of KX-T61630, KX-T61620, KX-T61650, KX-T30830, KX-T30820 or KX-T30850. It will not be heard from the built-in speaker of a standard telephone.

### Paging Group


Allows paging to one of four groups.

#### ■ To Access

For Pickup Group 1



LIFT THE HANDSET



DIAL "35"



CONFIRMATION  
TONE



PAGE



WAIT FOR AN  
ANSWER  
AND TALK

- For Pickup Group 2:  
At step 2 above, dial 36 instead of 35.
- For Pickup Group 3:  
At step 2 above, dial 37 instead of 35.
- For Pickup Group 4:  
At step 2 above, dial 38 instead of 35.
- Page will be heard only from the built-in speaker of KX-T61630, KX-T61620, KX-T61650, KX-T30830, KX-T30820 or KX-T30850. It will not be heard from the built-in speaker of a standard telephone.




## Paging-External

Allows access to external paging equipment.


### ■ To Access



LIFT THE  
HANDSET




DIAL "33"



CONFIRMATION  
TONE




PAGE



WAIT FOR  
CONFIRMATION  
TONE AND TALK  
OR HANG UP

■ Page will be  
heard from  
external  
paging  
equipment.




## Paging and Transfer

### ■ To Transfer a Call to the Paged Person



FLASH  
HOOKSWITCH TO  
PLACE A CALL  
ON HOLD



DIAL "34"



CONFIRMATION  
TONE



PAGE




WAIT FOR AN  
ANSWER  
AND HANG UP

• At step 2 above, you  
may dial 35, 36, 37, 38  
or 33 instead of 34 for the  
correct pickup group.


## Use of Other Features (cont.)

### Paging-Answer

A page from built-in speaker or external paging equipment can be answered from any extension.



LIFT THE  
HANDSET



DIAL "43"



CONFIRMATION  
TONE OF 1  
BEEP WILL  
BE HEARD




TALK

### Intercom Alerting Mode


"Voice alerting" (through built-in speaker) that is established at the called party's extension, can be switched to "Tone alerting" (ringing).

- This feature is required to be set beforehand in the KX-T61610B. For programming, see page 3-27 in installation manual.

#### ■ Switching to Tone Alerting




LIFT THE  
HANDSET




DIAL EXTENSION  
NUMBER  
(11 through 26)



WAIT UNTIL A  
CONFIRMATION  
TONE IS HEARD



PRESS "\*"



RING BACK  
TONE

- A rotary phone will not function with this feature.
- Press the "\*" button within 10 seconds after the dialing.

## External Feature Access

Allows the extension user to access features of the central office or host PBX. (e.g. CALL WAITING FEATURE can be supplied by the Central Office.)


- The external feature (call waiting) can only be accessed when engaged on an outside call.

- The following example shows you one of the procedures.


### ■ Call Waiting—Outside Line



WILL HEAR  
A CALL  
WAITING  
TONE



FLASH THE  
HOOKSWITCH



DIAL "0"



CONSULT WITH  
THE NEW CALLER  
WHILE THE  
ORIGINAL CALL  
IS ON HOLD



FLASH THE  
HOOKSWITCH



DIAL "0"



CONSULT WITH  
THE ORIGINAL CALLER  
WHILE THE 2ND CALL  
IS ON HOLD

(If the calling party  
on hold hangs up,  
the line is terminated.)

- Flashing the hookswitch and dialing "0" means flash operation.
- If the KX-T61610B is connected to a host PBX and a flash operation is required, follow the procedure of flash operation which is required for the host PBX.

## Use of Other Features (cont.)

### Account Code

This feature gives each message of the SMDR an account code of the called or calling party. (Station Message Detail Recording—SMDR is cost saving feature that records all incoming and outgoing calls through the CO line.)


This feature has two modes "Forced" and "Option". In the "Forced" mode, the account code must be entered every time the extension user dials. In the "Option" mode, account code may be entered when a record of the account code is needed. When setting to the "Forced" mode, see page 3-30 in INSTALLATION MANUAL.

### Forced Mode


#### ■ Making a Call




LIFT THE  
HANDSET



DIAL "9"




DIAL "\*"




AGAIN  
(intermittent  
tone is  
heard.)



DIAL THE  
ACCOUNT  
CODE  
(Account  
code is  
4 digits.)



WAIT FOR C.O.  
DIAL TONE




DIAL TELEPHONE  
NUMBER


- Account code must be required 4 numerical digits except for the # and \* buttons.
- You may dial 81 through 86 instead of dialing 9.

#### ■ Receiving a Call


If you want to record a calling party's account code in the SMDR, follow the below-mentioned procedure. Within 30 seconds after calling party hangs up,




FLASH THE  
HOOKSWITCH



DIAL "\*"



AGAIN  
(intermittent  
tone is  
heard.)



DIAL THE  
ACCOUNT  
CODE

- Dialing the account code must be done before hanging up.

## Option Mode


### ■ Making or Receiving a Call

If you want to record a calling or called party's account code in the SMDR, follow the below-mentioned procedure.


Within 30 seconds after calling or called party hangs up,




FLASH THE  
HOOKSWITCH



DIAL "\*" "



AGAIN  
(Intermittent  
tone is  
heard.)



DIAL THE  
ACCOUNT  
CODE  
(Account  
code is  
4 digits.)

- Dialing the account code must be done before hanging up.

- You may dial 49 instead of pressing the \* \* button.
- Account code must be 4 digits.
- If you enter a wrong account code, press the \* \* button and enter the correct code.

## Station Programming

You may dial "0" instead of pressing the "#" button.


### Call Forwarding

Intercom or outside calls to your extension can be automatically forwarded to any extension within the system.


#### ■ Setting




LIFT THE  
HANDSET



DIAL "71"



DIAL THE  
EXTENSION  
NUMBER



DIAL "#"




HANG UP

#### ■ To Cancel



LIFT THE  
HANDSET



DIAL "70#"



HANG UP


## Dial Call Pickup Deny

Allows you to prohibit any other extension user from answering calls directed to you.

### ■ Setting



LIFT THE  
HANDSET



DIAL "731#"




HANG UP

### ■ To Cancel



LIFT THE  
HANDSET



DIAL "730#"



HANG UP

PanaTEL®

## Station Programming (cont.)


### Do not Disturb

Each extension can be individually programmed from receiving outside or intercom calls.

#### ■ Setting



LIFT THE  
HANDSET



DIAL "7110#"




HANG UP

#### ■ To Cancel



LIFT THE  
HANDSET



DIAL "70#"



HANG UP




## Data Line Security

This feature provides security when transmitting data through an extension of the KX-T61610B. Call waiting tones or hold time reminder tone from the KX-T61610B are prohibited in this mode.

### ■ Setting



LIFT THE  
HANDSET



DIAL "741#"




HANG UP

### ■ To Cancel



LIFT THE  
HANDSET



DIAL "740#"



HANG UP

## Station Programming (cont.)

### Pickup Dial

Picking up the handset automatically dials a programmed phone number.


#### ■ To Program




LIFT THE  
HANDSET



DIAL "762"



DIAL EXTENSION  
NUMBER



DIAL "#"




HANG UP


- You may dial CO number (9 or 81 through 86) instead of extension number.

#### ■ To Enable or Disable

To enable pickup dial



LIFT THE  
HANDSET



DIAL "761#"




HANG UP

To disable pickup dial



LIFT THE  
HANDSET



DIAL "760#"



HANG UP

---

## ■ To Dial

---



If the "Pickup Dial" feature did not work, hang up for over 1 second, and lift the handset again.

PICKUP HANDSET  
FOR 4-SECONDS

- Dialing (speed dialing and manual dialing) is possible within 3 seconds.
- When you program for an outside call, enter the line access number,  , account code, and then the desired number.
- The pickup dial will not be activated by picking up the handset during a hold or when receiving a call.
- A rotary phone is not available for Pickup Dial.
- You can not dial "0" instead of pressing the "\*" button.



**Nonstop servis TELEFONNÍ ÚSTŘEDNY**

volejte dispečink tel. **606 193 950**

PanaTEL® je specialistou na telefonní ústředny,  
komunikační systémy Panasonic

[www.PanaTEL.cz](http://www.PanaTEL.cz)

## Station Programming (cont.)

### Station Program Clear

Dialing (79#) will clear station programs on that extension.

•The following feature can be canceled.

Call Forwarding

Data Line Security


Dial Call Pickup Deny

Do not Disturb

Pickup Dial (Enable mode)



LIFT THE  
HANDSET



DIAL "79#"



HANG UP



**Nonstop servis** TELEFONNÍ ÚSTŘEDNY

volejte dispečink tel. **606 193 950**

PanaTEL® je specialistou na telefonní ústředny,  
komunikační systémy Panasonic

[www.PanaTEL.cz](http://www.PanaTEL.cz)

- If the dial tone (continuous tone) changes to a reorder tone (intermittent tone) or a mistake is made, hang up and start again.
- Various activation tones and Ringing will be heard. (Refer to page 6-6 in INSTALLATION MANUAL.)
- If your phone has a FLASH button, depress it instead of flashing the hookswitch.

# PanaTEL®



**Nonstop servis TELEFONNÍ ÚSTŘEDNY**

volejte dispečink tel. **606 193 950**

PanaTEL® je specialistou na telefonní ústředny,  
komunikační systémy Panasonic

[www.PanaTEL.cz](http://www.PanaTEL.cz)